

# HPE ProLiant DL380 Gen11



## What's new

- Powered by the 4th and 5th Gen Intel® Xeon® Scalable Processors with next-generation technology that support up to 64 cores at 350W and 16 DIMMs for DDR5 memory at speeds up to 5600 MHz.
- Support for up to 8 TB total DDR5 memory with 16 DIMM channels per processor delivers increased performance, lower power requirements, and High Bandwidth Memory (HBM) support.
- Support for PCIe Gen5, resulting in improved bandwidth, advanced data transfer rates, and higher network speeds from the PCIe Gen5 serial expansion bus.
- Includes the new HPE Integrated Lights-Out

## Overview

Are you looking for a dual-socket scalable server solution to power data analytics or hybrid cloud workloads?

The HPE ProLiant DL380 Gen11 server is a scalable 2U 2P solution that delivers exceptional compute performance, memory density with scalability and high-speed data transfer rate to run your most demanding applications.

Powered by 4th and 5th Gen Intel® Xeon® Scalable Processors with up to 64 cores, 8 TB of memory, and 20 EDSFF drive as well as increased memory bandwidth and high-speed PCIe Gen5 I/O, the HPE ProLiant DL380 Gen11 server is a perfect solution for software-defined storage, video transcoding, and virtualized apps.

The HPE ProLiant DL380 Gen11 server is engineered to

6 (iLO 6) server management software that enables you to securely configure, monitor, and update your HPE ProLiant Gen11 servers seamlessly, from anywhere.

- Supports hot-pluggable, high-availability RAID M.2 boot options.
- Supports up to 8 single wide (SW) or 3 double wide (DW) GPUs to accelerate graphic intense workloads.

optimize IT with a cloud operating experience, built-in security, and optimized performance for workloads to drive your business forward.

## Features

### **Intuitive Cloud Operating Experience: Simple, Self-service, and Automated**

HPE ProLiant DL380 Gen11 servers are engineered for your hybrid world. HPE ProLiant DL380 Gen11 servers simplify the way you control your business's compute—from edge to cloud—with a cloud operating experience.

Transform business operations and pivot your team from reactive to proactive with global visibility and insight through a self-service console.

Automate tasks for efficiency in deployment, instant scalability, and seamless, simplified support and lifecycle management reducing tasks and shortening maintenance windows.

These experiences are engineered and built into all HPE ProLiant Gen11 servers, whether purchased as physical servers or consume as-a-service using HPE GreenLake as your compute and storage demands grow.

Simplify and secure server management from edge to cloud with HPE GreenLake for Compute Ops Management. HPE GreenLake for Compute Ops Management is an as-a-service compute management experience that delivers greater simplicity, agility, and speed across your entire compute landscape, globally.

### **Trusted Security by Design: Uncompromising, Fundamental, and Protected**

The HPE ProLiant DL380 Gen11 server utilizes the HPE Silicon Root of Trust, HPE's fundamental approach to security that provides zero-trust architecture at the silicon level and ensures all server essential firmware is free from malware or compromised code.

The server, powered by 4th and 5th Gen Intel® Xeon® Scalable Processors, adds hardware and software-assisted security features, including Intel® Software Guard Extensions and Intel® Boot Guard, which secure the server hardware foundation on which critical apps run and better protect data in memory.

HPE ProLiant Gen11 servers continuously protect healthy servers by providing rapid detection of security-compromised servers, even to the point of not allowing them to boot if it identifies and contains malicious code, and secure servers at the edge with IDevID certificates installed by default.

HPE ProLiant servers provide automated recovery from a security event, including restoration of validated firmware, and facilitating recovery of operating system, application and data connections, providing the fastest path to bring a server back online and into normal operations.

From silicon to software, from factory to cloud, and from generation to generation, HPE ProLiant Gen11 is engineered with a fundamental security approach to defend against increasingly complex threats through an uncompromising commitment to constant security advancements that are built into our DNA.

### **Optimized Performance for your Workloads: Accelerated, Open, and Efficient**

The HPE ProLiant DL380 Gen11 server is an excellent choice for compute and data storage demanding workloads (AI, ML, telco, DB analytics, VDI, containers) requiring maximum core count, GPU capabilities, and network and I/O bandwidth.

Harness major computer performance. The HPE ProLiant DL380 Gen11 server is powered by 4th and 5th Gen Intel® Xeon® Scalable Processors with next-

generation technology that supports up to 64 cores per processor, 350W, and up to 8 TB of memory.

The HPE ProLiant DL380 Gen11 server provides advanced data transfer rates and higher network speeds from the PCIe Gen5 serial expansion bus, with up to 2 x16 PCIe Gen5 and 2 OCP slots to improve I/O throughput and reduce latency.

It provides 16 DIMM channels per processor for up to 8 TB total DDR5 memory with increased memory bandwidth and performance, and lower power requirements.

It provides real-time operational feedback on server performance plus recommendations for fine-tuning BIOS settings to customize for changing business needs.

### **Available in an As-a-Service Experience**

The HPE ProLiant DL380 Gen11 server is supported by HPE GreenLake to simplify IT infrastructure management across your entire hybrid estate. With 24x7 monitoring and management, our experts do the heavy lifting to manage your environment with services built into consumption-based solutions.

Hewlett Packard Enterprise provides customers with choices in how they acquire and consume IT beyond traditional financing and leasing, offering options that free trapped capital, accelerate infrastructure updates, and provide on-premises pay-per-use consumption with HPE GreenLake.



## Technical specifications

## HPE ProLiant DL380 Gen11




|                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Processor type</b>             | Intel®                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Processor family</b>           | 5th Gen Intel® Xeon® Scalable Processors and 4th Gen Intel® Xeon® Scalable Processors                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Processor number</b>           | 1 or 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Processor core available</b>   | 16 to 60 core, depending on processor                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Processor cache</b>            | 22.5 MB to 112.5 MB L3, depending on processor                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Processor speed</b>            | 3.1 GHz maximum, depending on processor                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Power supply type</b>          | 800W, 1000W, or 1600W Dual hot-plug redundant 1+1 HPE Flexible Slot Power Supplies, depending on model                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Expansion slots</b>            | Up to 8 PCIe Gen5, and 2 OCP 3.0, for detailed descriptions reference the QuickSpecs                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Maximum memory</b>             | 8 TB with 256 GB DDR5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Memory slots</b>               | 32                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Memory type</b>                | HPE DDR5 Smart Memory                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Memory protection features</b> | RAS – Advanced ECC, online spare, mirroring, combined channel (lockstep) functionality, and HPE Fast Fault Tolerant Memory (ADDDC)<br>Intel® Optane Persistent Memory                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Optical drive type</b>         | Optional DVD-ROM Optional via Universal Media Bay External support only                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>System fan features</b>        | Hot-plug redundant fans, Standard Fan Kit or High Performance Fan Kit, depending on model                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Network controller</b>         | 1 Gb, 10 Gb, 10/25 Gb, 100 Gb, or 200 Gb, in PCIe adapter or OCP 3.0 form factor, for detailed descriptions reference the QuickSpecs                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Storage controller</b>         | HPE SR932i-p and/or HPE MR216i-o and/or HPE MR416i-o and/or HPE MR216i-p and/or HPE MR416i-p and/or HPE MR408i-o, for detailed descriptions reference the QuickSpecs                                                                                                                                                                                                                                                                                                                                                                  |
| <b>DIMM capacity</b>              | 16 GB to 256 GB                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Infrastructure management</b>  | HPE iLO Standard with intelligent provisioning (embedded), HPE OneView Standard (requires download) (standard) HPE iLO Advanced, HPE OneView Advanced (optional, requires licenses), and HPE GreenLake COM                                                                                                                                                                                                                                                                                                                            |
| <b>Warranty</b>                   | 3/3/3: Server Warranty includes three years of parts, three years of labor, and three years of onsite support coverage. Additional information regarding worldwide limited warranty and technical support is available at: <a href="https://support.hpe.com/hpsc/wc/public/home">https://support.hpe.com/hpsc/wc/public/home</a> . Additional HPE support and service coverage, to supplement the product warranty, is available. For more information, visit <a href="https://www.hpe.com/support">https://www.hpe.com/support</a> . |
| <b>Drive supported</b>            | 8 or 12 LFF SAS/SATA/SSD 8, 16, or 24 SFF SAS/SATA/SSD, depending on configuration. 6 SFF rear drive optional or 2 SFF rear-drive optional, 20 SFF NVMe optional, NVMe support via Express Bay will limit maximum drive capacity, depending on model.                                                                                                                                                                                                                                                                                 |



For additional technical  
information, available models and  
options, please reference the  
[QuickSpecs](#)

Make the right purchase decision.  
Contact our presales specialists.

[Buy now](#)



**Hewlett Packard  
Enterprise**

## HPE Services

No matter where you are in your transformation journey, you can count on HPE Services to deliver the expertise you need when, where and how you need it. From strategy and planning to deployment, ongoing operations and beyond, our experts can help you realize your digital ambitions.

### Consulting services

Experts can help you map out your path to hybrid cloud and optimize your operations.

### Managed services

HPE runs your IT operations, giving you unified control, so can focus on innovation.

### Operational services

Optimize your entire IT environment and drive innovation. Manage day-to-day IT operational tasks while freeing up valuable time and resources.

- HPE Complete Care Service: a modular service designed to help optimize your entire IT environment and achieve agreed upon IT outcomes and business goals. All delivered by an assigned team of HPE experts.
- HPE Tech Care Service: the operational service experience for HPE products. The service provides access to product specific experts, an AI driven digital experience, and general technical guidance to help reduce risk and search for ways to do things better.

### Lifecycle Services

Address your specific IT deployment project needs with tailored project management and deployment services.

### HPE Education Services

Training and certification designed for IT and business professionals across all industries. Create learning paths to expand proficiency in a specific subject. Schedule training in a way that works best for your business with flexible continuous learning options.

The Defective Media Retention (DMR) service feature option applies only to Disk or eligible SSD/Flash Drives replaced by Hewlett Packard Enterprise due to malfunction. [Comprehensive Defective Material Retention \(CDMR\)](#) allows you to keep all data retentive components.

## HPE GreenLake

HPE GreenLake edge-to-cloud platform is HPE's market-leading as-a-Service offering that brings the cloud experience to apps and data everywhere – data centers, multi-clouds, and edges – with one unified operating model, on premises, fully managed in a pay per use model.

If you are looking for more services, like **IT financing solutions**, please explore them [here](#).

Explore **HPE GreenLake**

© Copyright 2024 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

Parts and Materials: HPE will provide HPE-supported replacement parts and materials required to maintain the covered hardware.

Parts and components that have reached their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual, product quick-specs, or the technical product data sheet will not be provided, repaired, or replaced as part of these services.

Intel, Intel Xeon, and Intel Optane are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries. All third-party marks are property of their respective owners.

Image may differ from the actual product  
[PSN1014696069USEN](#), March, 2024.